

## Brain and Body “Fingerprints” of Existential Anxiety and Their Relevance for the Identification of Potential Terrorists: A Research Note

by Linda Wendelberg

### Abstract

*The literature on radicalization documents that the identification of individuals who might take part in terrorist acts is difficult. In the field of terrorism studies, there is a lack of research on how the mind of individuals would present itself in conditions that are supposed to be related to radicalization processes. On the other hand, in the fields of crime prevention and forensic investigations, knowledge about brain processing and behavior is used to a greater degree. The lack of major longitudinal studies which focus on the period before vulnerable individuals become radicalized is noticeable—as are studies covering later stages of radicalization. Such studies would, however, be of vital importance to explain some of the mechanisms behind radicalization processes. By investigating already-radicalized individuals it is no longer possible to separate what was rooted in the radicalization process and what was rooted in prior life characteristics. By experimentally investigating non-radicalized subjects it is, on the other hand, not possible to make the link to heavy radicalization or actual terrorist acts. A new window to explore this link can possibly be found in investigations of Existential Anxiety [EA]. It has been shown that the condition of Existential Anxiety shares similarities with profiles found in some radicalized individuals—but a physical link to terrorist acts or severe radicalization has not yet been made. However, recent findings on EA could hypothetically explain the highly variable profiles found among terrorists. At present, there is a lack of knowledge about how this condition translates into actual behavior, which makes it difficult to use such information for the purpose of prevention. This review summarizes available evidence indicating that EA could be a risk factor in radicalization processes.*

**Keywords:** Existential anxiety, behavior, vulnerability, brain, radicalization, profiling, terrorism

### Introduction


For a long time, the assumption that terrorists are shockingly normal has dominated the field of terrorism studies. This is beginning to change. Yet the study of the etiology of terrorism is still lacking robust indicators for high-quality risk assessments of potential perpetrators. [1][2] It has been credibly asserted that some types of radicalization are precipitated by certain personal experiences. Moskalenko and McCauley describe this in the following way: “The common denominator is that something happened to make the political personal.”[3] Radicalization is defined as a process where individuals or groups undergo a transformation process characterized by increased support for the use of violence and coercion to promote political or social objectives and goals.[4][5] The radicalization process is also characterized by increased support for and/or use of illegal means.[6][7] However, the content and composition of the radicalization process is still unknown and even the definition of terrorism is still debated.[8] Existing findings related to terrorists show that such individuals manifest considerable diversity. These include individuals with and without known vulnerabilities, individuals who are suggested to have a very high level of psychological function along with apparently great prospects for a successful career in their society.[9][10] From media reports we know that even if the police or other parties have received warnings about possible serious radicalization, there seems to be a high degree of difficulty in identifying those who will actually commit violent acts. It is suggested that the reason for this may be that we might be searching for the wrong characteristics and also fail to consider some of the ways people may change.

## Existential Anxiety

Mortality salience, also called death anxiety, is one of the more prevalent theories about Existential Anxiety [EA].[11][12][13][14] EA is defined as apprehension about the ultimate meaning of life and (fear of) death. [15] Within the perspective of the Terror Management Theory (TMT), “the something that happened” could be subconscious reminders of death.[16] TMT proposes that reminders of death trigger a worldview defense to protect individuals against their fear of death.[17] Extreme behavior and/or attitudes could be part of the defense as well as part of an eventual radicalization process.[18] Fear of death is only one type of existential concern and different types of existential concern can be related to different types of psychological states. [19] For example, social exclusion is related to a perception of life as less meaningful.[20] Human beings are social creatures with a need for social inclusion or integration, which is one aspect that is suggested to be an important factor related to radicalization processes.[21] Existential concern can be considered as a universal basic feature of mankind that can be filled with different meanings closely tied to individual differences and collective cultures.[22][23] The TMT argues that EA is the fundament for many types of existential concerns—which is the reason why TMT is often viewed as a biological theory. Figure 1 shows the change process related to existential anxiety: reminders of death subconsciously influence an individual’s brain and contribute to changed behavior as well as the strengthening of already existing values and beliefs. EA might also contribute to the radicalization of already existing values and beliefs. Whether EA is involved in the process leading to the perpetration of a terrorist act is, however, still an open question. The issue which is debated is whether there is a path going from reminders of death to the execution of terrorist acts. This question [the question mark in Figure 1 below] will be discussed in a later section.

**Figure 1: Process of Change due to Activation of Death Anxiety**

*[Reminders of death contribute to changed brain processing. This changed brain processing is related to the radicalization of values and beliefs. Change in brain activation patterns could be driven “mechanically” by sensitivity for repetition of stimuli—described below].*



The phenomenon of EA can be investigated experimentally. However, it is difficult to measure existential anxiety during real-world events (as opposed to controlled laboratory environments where subjects are experimentally primed with subtle mortality reminders). Nor do we know whether it is possible to measure the priming effect of EA in already-radicalized subjects, which, after all, would not give us information about an individual’s condition before radicalization. However, if we hypothesize that some experiments related to EA might also describe the start of a radicalization process, there exists a great amount of potentially useful knowledge. This holds true despite the fact that there are few studies about how this condition manifests itself in actual behavior.

The following short literature review aims to present a few physiological findings that suggest that EA may be able to explain at least parts of radicalization processes. This review is limited to findings related to the Terror Management Theory (TMT). Since this is a short Research Note, the different subjects are not described exhaustively but rather briefly highlighted in terms of their potential relevance to the study of radicalization, extremism and terrorism, inviting interested readers to further explore a probable connection by following the notes.


**Political Radicalization and Religiosity—Shared Aspects**

Existing research has shown that EA is related to political radicalization as well as to extreme forms of behavior. [24][25][26][27] However, due to the experimental conditions used in this type of research, a direct link to radicalization to extremism has been difficult to establish.[28]

The link between radicalization and deep religiosity has also been questioned. It has been found that religiosity can be, but does not necessarily need to be, a protective factor against EA.[29][30][31][32] The field of terrorism studies and the field of existential anxiety studies may, however, reach some similar findings. Some research findings suggest that religious fundamentalism is related to changes in the brain’s prefrontal region which is responsible for cognitive flexibility and openness.[33] The research literature in the field of EA suggests that change in the form of a brain lesion may not be necessary to develop fundamentalism. Religiosity may protect vulnerable individuals with respect to becoming radicalized.[34] However, some research studies have also found that subjects with strong religious beliefs may be more obsessional.[35][36] EA is related to the strengthening of obsessional symptoms in already-vulnerable subjects.[37] This suggests that religiosity among extremists can be related to obsessional patterns and not necessarily to religiosity [see Figure 2]. Research has shown that religiosity only mitigates EA for people who already have invested much in their religious beliefs. [38] This suggests that religion could hypothetically be replaced with something else.

This also suggests that radicalization tends to be based on already-existing beliefs and values (as in the case of ‘re-born believers’) and that a radicalization process is (also) driven by psychological needs (e.g., obsessional, sexual, need for closure) activated by psychological vulnerabilities in combination with external factors. In short, the radicalization process in an individual often tends to be an exacerbation of already-existing values and beliefs.

**Figure 2: Path for the Development of Fundamentalist Religious Beliefs**



### ***Brain Regions***

Neurophysiology deals with physiological observations of the nervous system while neuropsychology combines information about behavior and mind, based on neurological observations. Neurophysiology and neuropsychology contribute to information about brain functioning and are frequently used in safety and security evaluations as well as in psychological and medical evaluations.[39][40][41][42][43][44] For example, functional Magnetic Resonance Imaging (fMRI), which is one of the neurophysiological methods, has contributed to new information about brain functioning in situations of EA. Extremism has been related to increased activity in the left inferior frontal gyrus (IFG) and to heightened activity in the same region as well as in surrounding areas linked to EA.[45][46][47] Overall, EA seems to affect one or more circuits in the brain, which may have far-reaching significance for sensorimotor function, motivation and behavior. Evidence that EA contributes to changed processing in the brain's insula is well documented. This region is strongly related to sensorimotor function.[48][49] Alteration of sensorimotor function can be observed or measured by neuropsychological and or neurophysiological testing as well as by computer systems related to human-computer interaction.[50][51] The brain regions found to be altered as a result of priming with EA stimuli (e.g., in the form of verbal reminders of a person's mortality), are related to aggressive and violent behavior.[52][53]

### ***Brain Visual Paths***

The dorsal and ventral pathways of the human brain are referred to respectively as the thalamic path and the hypothalamic path.[54] Alterations in the dorsal and ventral pathways are related to changes in an individual's psychological condition and include his or her sexual problems.[55] Older published research data[56] (and new research data to be published by the current author) suggest that the ventral and dorsal visual paths are affected when subjects are primed with a fear of death and might also be related to different types of vulnerability. In mainstream psychology, vulnerability is often related to high neuroticism, psychopathic traits and low self-esteem, while research on EA suggests that there may be also other vulnerability paths.[57] What if vulnerability traits could be changed as part of the radicalization process? It may well be that a high focus on the more common vulnerability factors may reduce the ability to detect that there may also be common traits or common processes in extreme radicalization. On the other hand, it is possible that detection of change can be of greater importance than the identification of vulnerability factors. Repeated testing shows that subjects primed with EA have a higher degree of variability in data even if the self-reported personality profiles in themselves are not different. This suggests that a focal view on the more general vulnerability factors and a high focus on generalizability may not track the diversity. Moreover, behavior and cognition seem to be altered in specific patterns that can be identified. It suggests that cognition, emotion and motor function are all influenced by EA. Such information could be obtained by researchers working with radicalized individuals. For example, the ventral path is related to sexuality (see below).[58] Published research data [59] and new research data to be published by the current author support the thesis that EA influences the ventral path in a more complex way—rather than only in one direction. Decreased activity in the ventral hypothalamic pathway could, for example, indicate hyposexuality while increased activity could indicate hypersexuality.[60] However, brain activation patterns and cognition for EA are documented at a wider scope than behavioral measures. This restricts the possible use of such findings in counterterrorism work, because concrete behavioral *measures* can be more easily directly implemented in computer algorithms or used in fieldwork.


### ***Sexuality and Radicalization***

Law enforcement agencies (LEA) and academic research have repeatedly suggested that sexuality is part of the complex that has been linked to radicalization and terrorist acts.[61][62] A large number of studies document that EA contributes to a change in sexual behavior. This change is thought to be part of the psychological defense that is activated when an individual is facing reminders of death.[63][64] However, even though anecdotal observations as well as qualitative studies have described that sexuality appears to be related to

radicalization, few, if any, studies have shown how such issues can be measured. Moreover, researchers have questioned the lack of focus on the existential perspective in studies on sexual dysfunction and other sexual problems, including lack of access to a partner.[65] The existential perspective on sexual problems can be viewed as the deeper psychological reason(s) for sexual distress, including etiological psychological conflicts. [66] This perspective goes far beyond the physiological sexual function and addresses some of the deeper layers of the human mind. Sexual problems cover the entire range from total abstinence of sex to hypersexuality. However, existing research suggests that radicalization appears to be related to more restricted attitudes and motivation towards sexual matters, as well as linked to a higher degree of guilt when exposed to sexual stimuli. [67] On the other hand, the literature indicates that the effect of reminders of death on sexual attitudes and behavior can be related to different paths, including hypersexuality, depending on individual characteristics and circumstances related to, for example, civil status.[68][69] This is illustrated in Figure 3, showing two possible paths that both may be part of the radicalization process. The model is based on the presumption that EA contribute to alteration of sexual needs as also documented in a large quantity of studies.[70][71][72] Blocking of possibilities to fulfil biological needs and self-inflicted punishment by restrict fulfilment of own biological needs can be seen as two sides to the same story. In summary the research suggests that EA increases sexual desire but the motivation (pursuing sexual matters) may go in different directions.

**Figure 3: EA's Contribution to Increased Sexual Desire**

*[These may develop in different paths. The path leading to suppression and the path leading to frustration may be associated with the risk of developing extremism. (+SD=increased sexual desire, M=motivation). Suppression and/or control is based on findings with respect to the behavioral inhibition system (BIS)—see section on avoidance below].*



### ***Ventrolateral Prefrontal Cortex (VPC) Connectivity***

Self-esteem has repeatedly been found to moderate EA, and high levels of self-esteem are related to resilience towards effects that can be evoked by reminders of death.[73][74] Human beings with high self-esteem, compared to individuals with low self-esteem, have been found to develop increased amygdala-Ventrolateral Prefrontal Cortex (VPC) connectivity after priming with EA.[75] Research suggests that the VPC activation is stronger for death-related words for young adults while older people have been found to display an activation pattern in the opposite direction.[76] Changes in the VPC region are related to psychopathy and to religious fundamentalism.[77][78][79]

### ***Avoidance and Respiratory Sinus Arrhythmia (RSA)***

Existential Anxiety has been shown to be related to the inhibition (avoidance) system (BIS) and to a decrease in Respiratory Sinus Arrhythmia (RSA).[80][81][82] RSA is defined as an increase in heart rate during inhalation, and a diminished heart rate during exhalation (or heart rate variability related to respiration).[83][84] Low RSA is related to internalization and externalizing behavior, which have been suggested to be risk factors for violent acts, including acts of terrorism.[85][86][87] Moreover, it is found that hostile individuals have a reduced parasympathetic activity (lower RSA) compared to less hostile individuals.[88]

### ***The Serotonin Transporter Polymorphism (5-HTTLPR)***

Existential Anxiety is also related to the serotonin transporter polymorphism (5-HTTLPR) [89] in the human brain. The 5-HTTLPR describes biological genotypes and certain types have been related to psychological vulnerability and aggression.[90][91] The 5-HTTLPR is part of the serotonin deficiency hypothesis, which has been associated with human aggression. For example, there are differences in the 5-HTTLPR genotype related to criminal convictions.[92] It is argued, however, that this hypothesis lacks confirmatory evidence or is at least uncertain due to contradictory findings, unreliable measurements and high levels of complexity.[93]

### ***Novelty and Familiarity***

EA is related to the avoidance of novelty and to reduced variety seeking.[94] Human reactions towards novel as well as familiar stimuli have been thoroughly tested because such processing contributes to better information about memory processing and motivation.[95][96][97] Preference for novelty or familiarity activates in different ways in the human brain and can be associated with different types of behavior such as, for example, repetitive restricted responses versus search for novelty.[98][99] Individual patterns of activation related to familiarity and novelty can be a potentially important tool in criminal investigations and crime prevention. [100][101]

### ***Findings from the Field of Eye Tracking***

Data gathered by an individual's eye tracking can contribute direct information about behavior as well as indirect information about the human brain; such data can, for instance, be used in relation to human-computer interaction.[102][103] Existing findings suggest that individuals who experience EA avoid threatening stimuli and are avoidant in general.[104][105] Priming a person with EA stimuli is found to influence frequency of update (time between eye movements), length of fixations as well as some other eye-tracking measurements linked with intersubjective differences.[106] EA is, as mentioned above, additionally related to changes in ambient and focal processing and with familiarity versus novelty. Current information about eye-tracking measures is drawn from only a limited number of studies (so far, such studies are noticeably scarce). Behavioral indicators gathered by eye tracking can be used to perform observations, including observations related to

human-computer interaction, while information about body states (e.g., RSA, levels of serotonin and brain connectivity) cannot directly be used as robust indicators. Eye tracking is one of many neurophysiology methods with a potential to discover neuropsychological phenomena generally and cognitive processes that affect behavior in particular.[107]

### ***The Missing Link***


In research achieving simplicity is frequently one of the most difficult tasks. With respect to Existential Anxiety it is well documented that this condition is related to the behavior inhibition system. It is not obvious to associate avoidance with the extreme aggression shown in terrorist acts. However, research has shown that the behavior inhibition system predicts overcontrol.[108] Since the 1960s, overcontrol has been related to more extreme violence.[109] To the best of the author's knowledge, no studies have investigated overcontrol related to EA. However, the author has by means of an experiment discovered how others interpret behavior based on data from EA (results to be published in a separate paper). A simplified summarization of the main findings of importance as drivers for the radicalization process can be found in Figure 4. This model assumes that Sensitivity for Repetition of Stimuli (SFR) is a driver of the radicalization process. Moreover, it assumes that BIS predicts overcontrol, which is a possible connection to violent terrorist acts.

### ***Main Drivers of the Radicalization Process***

Existential Anxiety is frequently referred to as a special kind of anxiety. Recent findings about brain activation patterns during EA may, however, contradict any resemblance with common anxiety, especially for high-self-esteem individuals.[110] Research has shown that high neuroticism may be a vulnerability factor, and the EA is assumed to play a significant role in the development and severity of a range of anxiety disorders.[111] [112] Recent research in this direction shows promising results, which may lead to findings that can contribute positively to psychological health, for example with respect to anxiety and obsessions.[113][114] However, we do not know whether this may contribute to a better treatment of radicalization. Moreover, to offer treatment to subjects that may be unaware of their own challenges demands that society is capable to detect how people change. A model of the main drivers of the radicalization process with respect to EA is presented below.

**Figure 4: Main Drivers in the Radicalization Process and Reason Why EA Can Contribute to the Execution of Acts of Terrorism (L.W.)**

*(BIS=behavior inhibition system, SFR=sensitivity for repetition of stimuli).*




However, it is important to continue working on therapeutic solutions for already-radicalized subjects—an area where much work remains to be done.[115]

**On Current State of Profiling**

In the past, the field of profiling has been frequently criticized for producing inaccurate outcomes, e.g., false positives.[116][117] Digital forensics have, however, made advances in recent years and almost replaced the conventional profiling/investigation field due to its potential for higher levels of accuracy.[118][119][120] The paradigm of digital forensics changes our understanding of the type of knowledge that can offer extra value. It has been argued that digital forensics is more about detection than prevention; however, in the field of terrorism, detection *is* prevention.[121] Profiling is, according to the General Data Protection Regulation (GDPR)

Article 22, not allowed without consent from the subject. However, it is permissible when cases fall within the parameters of national security or international criminal law.[122] Information about brain processing and behavior can be used to detect risk factors and to profile individuals or groups, based on new and highly sophisticated technological tools and methods. Today's profiling focuses to a larger degree on measures that can be transformed and does not, as in the past, focus on static human traits. The field of terrorism studies has, in recent years, documented that individuals may radicalize more quickly than previously assumed.[123] To keep up with this acceleration, we need to link brain research with computing. For this, we need an intermediate variable that can connect the inside of the brain to the outer world.[124] The intermediating variable [the question mark in Figure 5 below] can be behavior but can also be exact measures related to brain activity, personality profiles, or other knowledge that can be transformed for use in the field of computing.

*Figure 5: From Brain to Computing*



Under normal circumstances, responsible citizens are all obliged to intervene when someone is a danger to themselves or to others. However, with respect to radicalization it is difficult to know when this should be the case. Changes related to EA are subtle and difficult to detect and often operate at a subconscious level. This raises ethical and legal dilemmas because individuals influenced by EA may themselves not be aware of this influence while those in their environment may have difficulties in detecting relevant but subtle changes. Imaging and artificial intelligence (AI) technology can, to a larger degree than human beings, detect subtle changes but only if consolidated knowledge about behavior and behavioral change already exists. At present, we lack robust indicators for radicalization processes that can be used by human profilers and in technological (AI) systems within existing legal frameworks. At present, indicators do not offer full answers in the field of terrorism detection due to the complexity of pathways to radicalization. However, in domains of uncertainty, neurophysiological and neuropsychological decision support can be important.

## **Conclusion**

Findings related to behavior and brain activation in the field of Existential Anxiety may share similarities with findings about terrorists within the field of radicalization studies. This could apply to patterns of brain activation, findings related to the main visual processing paths in the human brain, activation in the brain's Ventrolateral Prefrontal Cortex (VPC) region, lower Respiratory Sinus Arrhythmia (RSA), avoidance behavior and preference for familiarity. However, even if we now have access to sophisticated brain-scanning technology that can contribute to more accurate profiling, the field currently lacks measurements to build robust indicators and systems. Studies that document measures and observable behavior for diagnosing the condition of EA are still limited in number. The brief overview presented here suggests, however, that the fields of radicalization-, extremism- and terrorism studies could benefit from including knowledge gathered by neurophysiological and neuropsychological methods about EA in efforts to develop better instruments for risk assessments and prevention efforts.

**About the Author:** *Linda Wendelberg is a certified psychologist with a specialization in organizational psychology. In addition, she has taken courses in law and information security. Currently, she is working on a doctoral dissertation on oculomotor behavior under conditions of existential anxiety (a subfield of ocular biometrics).*

Previously, she worked as a manager for healthcare at St. Olav's Hospital division of psychiatry, and also dealt with occupational health (Labor Inspection, Norway). Her current research interests include organizational psychology, criminal profiling, political terrorism, cognitive neuropsychology, information security, as well as risk and risk perception. She is currently affiliated with the Norwegian University of Science and Technology (NTNU), Department of Information Security and Communication Technology and with the Inland Norway University of Applied Science, Department of Psychology.

## Notes

- [1] Monahan, J. (2011). The Individual Risk Assessment of Terrorism, *Psychology, Public Policy, and Law*, University of Virginia School of Law, Public Law and Legal Theory Research Paper Series No. 2011-34, pp. 1–47. SSRN: <https://ssrn.com/abstract=1928722>.
- [2] Monahan, J. (2012). "The Individual Risk Assessment of Terrorism," *Psychology, Public Policy, and Law*, 18, 2, pp. 167–205. DOI: 10.1037/a0025792.
- [3] Moskalkenko, S. & McCauley, C. (2011). "The Psychology of Lone-Wolf Terrorism," *Counselling Psychology Quarterly*, 24, 2, p. 125. DOI: 10.1080/09515070.2011.581835.
- [4] Crossett, C. & Spitaletta, J. A. (2010). Radicalization: Relevant Psychological and Sociological Concepts. U.S. Army Asymmetric Warfare Group, prepared by *The John Hopkins University, Applied Physics Laboratory*, pp. 2–3. URL: <https://info.publicintelligence.net/USArmy-RadicalizationConcepts.pdf>.
- [5] Maras, M. (2013). *Counterterrorism*. Jones & Bartlett Learning, pp. 4 and 7. ISBN-13: 978-1449648602.
- [6] Ibid. 4.
- [7] Ibid. 5.
- [8] Schmid, A. P. (2020). "Revisiting the Wicked Problem of Defining Terrorism." Forthcoming article in: *Contemporary Voices: The St Andrews Journal of International Relations*.
- [9] Maras, M., op. cit., p. 4 and 7.
- [10] Lyall, G. (2017). "Who are the British Jihadists? Identifying Salient Biographical Factors in the Radicalisation Process," *Perspectives on Terrorism*, 11, 3, pp. 62–70. ISSN 2334-3745.
- [11] Pyszczynski, T., Abdollahi, A., Solomon, S., Greenberg, J., Cohen, F., & Weise, D. (2006). "Mortality Salience, Martyrdom, and Military Might: The Great Satan versus the Axis of Evil," *Personality and Social Psychology Bulletin*, 32, pp. 525–537. DOI:10.1177/0146167205282157.
- [12] Hogg, M. A., & Blaylock D. L. (Eds.) (2012). *Extremism and the Psychology of Uncertainty*. New York: Wiley-Blackwell.
- [13] Scott, B. G. & Weems, C. F. (2013). "Natural Disaster and Existential Concerns: A Test of Tillich's Theory of Existential Anxiety," *Journal of Humanistic Psychology*, 53, 1, pp. 114–128. DOI: 0.1177/0022167812449190.
- [14] Weems, C. F., Costa, N. M., Dehon, C. & Berman, S. L. (2004). "Paul Tillich's Theory of Existential Anxiety: A Preliminary Conceptual and Empirical Examination," *Anxiety, Stress and Coping*, 17, 4, pp. 383-99. DOI: 10.1080/10615800412331318616.
- [15] Ibid. 13.
- [16] Moskalkenko, S. & McCauley, C. p. 125.
- [17] Ibid. 10.
- [18] Crossett, C. & Spitaletta, J. A., op. cit., p. 2–3.
- [19] Ibid. 12.
- [20] Stillman, T. F., Baumeister R. F., Lambert N. M., Crescioni, A. W., DeWall, C. N. & Fincham, F. D. (2009). "Alone and Without Purpose: Life Loses Meaning Following Social Exclusion," *Journal of Experimental Social Psychology* 45, 4, pp. 686–694. DOI: 10.1016/j.jesp.2009.03.007.
- [21] Lyall, G. op cit., p. 62–70.
- [22] Ibid. 10.

[23] Ibid. 12.

[24] Burke, B. L., Kosloff, S. & Landau, M. J. (2013). "Death Goes to the Polls: A Meta-Analysis of Mortality Salience Effects on Political Attitudes," *Political Psychology*, 34, 2, pp. 183–200. DOI: 10.1111/pops.12005.

[25] Burke, B. L., Martens, A. & Faucher, E. H. (2010). "Two Decades of Terror Management Theory: a Meta-analysis of Mortality Salience Research," *Personal and Social Psychology Review*, 14, 2, pp. 155–195. DOI: 10.1177/1088868309352321.

[26] Cohen, F., Ogilvie, D. M., Solomon, S., Greenberg, J. & Pyszczynski, T. (2005). "American Roulette: The Effect of Reminders of Death on Support for George W. Bush in the 2004 Presidential Election," *Analyses of Social Issues and Public Policy*, 5, 1, pp. 177–187. DOI: 10.1111/j.1530-2415.2005.00063.x.

[27] Weise, D. R., Arciszewski, T., Verlhiac, J.-F., Pyszczynski, T., & Greenberg, J. (2012). "Terror Management and Attitudes toward Immigrants: Differential Effects of Mortality Salience for Low and High Right-Wing Authoritarians," *European Psychologist*, 17, 1, pp. 63–72. DOI: 10.1027/1016-9040/a000056.

[28] Vergani, M., O'Brien, K. S., Lentini, P., & Barton, G. (2018). "Does the Awareness of Mortality Shape People's Openness to Violence and Conflict? An Examination of Terror Management Theory," *Political Psychology*, 40, 1, pp. 1–14. DOI: 10.1111/pops.12488.

[29] Aly, A., & Striegheer, J.-L. (2012). "Examining the Role of Religion in Radicalization to Violent Islamists Extremism," *Studies in Conflict & Terrorism*, 35, 12, pp. 849–862. DOI: 10.1080/1057610X.2012.720243.

[30] Jonas, E. & Fischer, P. (2006). "Terror Management and Religion: Evidence that Intrinsic Religiousness Mitigates Worldview Defense following Mortality Salience," *Journal of Personality and Social Psychology*, 91, 3, pp. 553–567. DOI: 10.1037/0022-3514.91.3.553.

[31] Jong, J., Ross, R., Philip, T., Chang, S., Simons, N. & Halberstadt, J. (2017). "The Religious Correlates of Death Anxiety: a Systematic Review and Meta-Analysis," *Religion, Brain & Behavior*, pp. 1–17. DOI.org/10.1080/2153599X.2016.1238844.

[32] Norenzavan, A., Dar-Nimrod, I., Hansen, I. & Proulx, T. (2009). "Mortality Salience and Religion: Divergent Effects on the Defense of Cultural Worldviews for the Religious and the Non-Religious," *European Journal of Social Psychology*, 39, pp. 101–113. DOI: 10.1002/ejsp.482.

[33] Zhong, W., Cristofori, I., Bulbulia, J., Krueger, F. & Grafman, J. (2017). "Biological and Cognitive Underpinnings of Religious Fundamentalism," *Neuropsychologia*, 100, pp. 18–25. DOI: 10.1016/j.neuropsychologia.2017.04.009.

[34] Coid, J. W., Bhui, K., MacManus, D., Kallis, C., Bebbington, P. & Ullrich, S. (2016). "Extremism, Religion and Psychiatric Morbidity in a Population-Based Sample of Young Men," *The British Journal of Psychiatry*, 209, 6, pp. 491–497, DOI: 10.1192/bjp.bp.116.186510: 10.1192/bjp.bp.116.186510.

[35] Inozu, M., Karanci A. N. & Clark, D. A. (2012). "Why are Religious Individuals more Obsessional? The Role of Mental Control Beliefs and Guilt in Muslims and Christians," *Journal of Behavioral Therapy & Experimental Psychiatry* 43. DOI: 10.1016/j.jbtep.2012.02.004.

[36] Lewis, C. A. & Kate M. Loewenthal, K. M. (2018). "Religion and Obsessionality: Obsessive Actions and Religious Practices," *Mental Health, Religion & Culture*, 21, 2, pp. 117–122. DOI: 10.1080/13674676.2018.1481192.

[37] Menzies, R. E. & Dar-Nimrod, I. (2017). "Death Anxiety and Its Relationship with Obsessive-Compulsive Disorder," *Journal of Abnormal Psychology*, 126, 4, pp. 367–377. DOI: 10.1037/abn0000263.

[38] Jonas, E. & Fischer, P. (2006). "Terror Management and Religion: Evidence That Intrinsic Religiousness Mitigates Worldview Defense Following Mortality Salience," *Journal of Personality and Social Psychology*. 91, 3, pp. 553–567, DOI: 10.1037/0022-3514.91.3.553.

[39] Anderson, T. J., Jenkins, I. H., Brooks, D. J., Hawken, M. B., Frackowiak, R. S. & Kennard, C. (1994). "Cortical Control of Saccades and Fixation in Man: A Pet Study," *Brain* 117, Pt5, 5, pp. 1073–1084.

[40] Dimoka, A., Banker, R. D., Benbasat, I., Davis, F. D., Dennis, A. R., Grefen, D. et al. (2012). "On the Use of Neurophysiological Tools in IS Research: Developing a Research Agenda for Neuro IS," *MIS Quarterly*, 36, 3, pp. 679–702. DOI: 10.2139/ssrn.1557826.

[41] Anderson, E. J., Husain, M. & Sumner, P. (2008). "Human Intraparietal Sulcus (IPS) and Competition between Exogenous and Endogenous Saccade Plans," *Neuroimage*, 40, pp. 838–851. DOI: 10.1016/j.neuroimage.2007.10.046.

[42] Marchand, Y., D'Arcy R. C. N. & Connolly J. F. (2002). "Linking Neurophysiological and Neuropsychological Measures for Aphasia Assessment," *Clinical Neurophysiology*, 113, pp. 1715–1722. DOI: 10.1016/S1388-2457(02)00224-9.

[43] Poletti, B., Carelli, L., Soca, F., Lafronza, A., Pedroli, E., Faini, A. et al. (2017). "An Eye-Tracking Controlled Neuropsychological Battery for Cognitive Assessment in Neurological Diseases," *Neurological Science*. 38, 4, pp. 595–603. DOI: 10.1007/s10072-016-2807-3.

- [44] Vance, A. Anderson B. B., Kirwan C. B. & Eargle D. (2014). "Using Measures of Risk Perception to Predict Information Security Behaviour: Insights from Electroencephalography (EEG)," *Journal of the Association for Information Systems*, 15, pp. 679–722. URL: <https://search.proquest.com/docview/1619352586?accountid=4488>
- [45] Pretus, C., Hamid, N., Sheikh, H., Gingnes, J., Tobeña, Davis, R. et al. (2018). "Neural and Behavioral Correlates of Sacred Values and Vulnerability to Violent Extremism," *Frontiers in Psychology*, 9, 2462, pp. 1–12. DOI: 10.3389/fpsyg.2018.02462.
- [46] Klackl J., Jonas E. & Fritsche I. (2017). "Neural Evidence that the Behavioral Inhibition System is Involved in Existential Threat Processing," *Social Neuroscience*, pp. 1–17. DOI: 10.1080/17470919.2017.1308880.
- [47] Klackl, J., Jonas, E., & Kronbichler, M. (2014). "Existential Neuroscience: Self-esteem Moderates Neuronal Responses to Mortality-Related Stimuli," *Social Cognitive Affective Neuroscience*, 9, pp. 1754–1761. DOI: 10.1093/scan/nst167.
- [48] Avanzini, P., Abdollahi, R. O., Sartori, I., Cauna, F., Pellicia, V. Casaceli, G. et al. (2016). "Four-Dimensional Maps of the Human Somatosensory System," *PNAS*, 113, 13, pp. 1936–1943. DOI: 10.1073/pnas.1601889113.
- [49] Bzdok, D., Schilbach, L., Vogeley, K., Schneider, K., Laird, A. R., Langner, R. et al. (2012). "Parsing the Neural Correlates of Moral Cognition: ALE Meta-Analysis on Morality, Theory of Mind, and Empathy," *Brain Structure Functions*, 217, pp. 783–796. DOI: 10.1007/s00429-012-0380-y.
- [50] Barakova, E. I., Spink, A. S., de Ruyter, B. & Noldus, L. P. J. J. (2013). "Trends in Measuring Human Behavior and Interaction," *Pers Ubiquit Comput.*, 17, pp. 1–2. DOI: 10.1007/s00779-011-0478-x.
- [51] Beyrak-Lev, J., Gerber, Z., Ein-Dor, T. & Hirschberger, G. (2018). "Mortality Salience Reduces Tactile Attention among People with Low Body Esteem," *Death Studies*, pp. 1–19. DOI: 10.1080/07481187.2017.1363321.
- [52] Fanning, J. R., Keedy, S., Berman, M. E., Lee, R. & Coccaro, E. F. (2017). "Neural Correlates of Aggressive Behavior in Real Time: a Review of fMRI Studies of Laboratory Reactive Aggression," *Curr Behav Neurosci Rep.*, 4, 2, pp. 138–150. DOI:10.1007/s40473-017-0115-8.
- [53] Tiihonen, J., Rossi, R., Laakso M. P., Hodgins, S., Testa, C., Perez, J. et al. (2008). "Brain Anatomy of Persistent Violent Offenders: More Rather than Less," *Psychiatry Research Neuroimaging*, 163, 3, pp. 201–212. DOI:10.1016/j.pscychresns.2007.08.012.
- [54] Motoifei, I. G. & Rowland, D. L. (2013). "The Ventral-Hypothalamic Input Route: a Common Neural Network for Abstract Cognition and Sexuality," *BJU International*, 113, pp. 296–303. DOI: 10.1111/bju.12399.
- [55] Ibid. 53.
- [56] Wendelberg, L., Volden, F. & Yildirim-Yayilgan, S. (2017). "Death Anxiety and Visual Oculomotor Processing of Arousing Stimuli in a Free View Setting," *Scandinavian Journal of Psychology*, 58, 2, pp. 131–141. DOI: 10.1111/sjop.12354.
- [57] Florian, V., Mikulincer, M. & Hirschberger, G. (2010). "An Existentialist View on Mortality Salience Effects: Personal hardiness, death-thought accessibility, and cultural worldview defense," *British Journal of Social Psychology*, 40, 3, pp. 437–453. DOI: 10.1348/014466601164911.
- [58] Dugas, M. & Kruglanski, A. W. (2014). "The Quest for Significance Model of Radicalization: Implications for the Management of Terrorist Detainees," *Behav. Sci. Law.*, 32, pp. 423–439. DOI: 10.1002/bsl.2122.
- [59] Ibid. 55.
- [60] Ibid. 53.
- [61] Landau, M. J., Rothschild, Z. K., & Sullivan, D. (2012). "Fetishism as a Defense against Existential Uncertainty." In: Hogg M. A. & Blaylock D. L. (Eds.). *Extremism and the Psychology of Uncertainty, Extremism in Everyday Life*. New York L: Wiley-Blackwell, pp. 131–146.
- [62] Organization for Security and Co-operation in Europe (OSCE) (2019). Understanding the Role of Gender in Preventing and Countering Violent Extremism and Radicalization That Lead to Terrorism. *Organization for Security and Co-operation in Europe (OSCE)*. ISBN: 978-3-903128-38-5.
- [63] Burke, B. L., et al., pp. 155–195.
- [64] Ibid. 60.
- [65] Watter, D. N. (2018). "Existential Issues in Sexual Medicine: The Relation Between Death Anxiety and Hypersexuality," *Sex Med Rev.* 6, 1, pp. 3–10. DOI: 10.1016/j.sxmr.2017.10.004.
- [66] Ibid. 64.
- [67] Ibid. 57.

- [68] Watter, D. N., op cit., pp. 3–10.
- [69] Birnbaum, G., Hirschberger, G. & Goldenberg, J. (2011). “Desire in the Face of Death: Terror Management, Attachment, and Sexual Motivation,” *Personal Relationship*, 18, pp. 1–19. DOI: 10.1111/j.1475-6811.2010.01298.x.
- [70] Burke, B. L., et al., p. 155-195.
- [71] Ibid. 67.
- [72] Ibid. 68.
- [73] Routledge, C., Ostafin, B., Juhl J., Sedikides, C., Cathey, C. & Liao, J. (2010). “Adjusting to Death: The Effects of Mortality Salience and Self-Esteem on Psychological Well-Being, Growth Motivation, and Maladaptive Behaviour,” *Journal of Personality and Social Psychology*, 99, 6, pp. 897–916. DOI: 10.1037/a0021431.
- [74] Schmeichel, B. J., Gailliot, M. T., Filardo, E. A., McGregor, I., Gitter, S. & Baumeister, R. F. (2009). “Terror Management Theory and Self-Esteem Revisited: the Roles of Implicit and Explicit Self-Esteem in Mortality Salience Effects,” *Journal of Personality and Social Psychology*, 96, 5, pp. 1077–1087. DOI: 10.1037/a0015091.
- [75] Yanagisawa, K., Abe, N., Kashima, E. S., & Nomura, M. (2016). “Self-Esteem Modulates Amygdala-Ventrolateral Prefrontal Cortex Connectivity in Response to Mortality Threats.” *Journal of Exp Psychol Gen.*, 145, 3, pp. 273–83. DOI: 10.1037/xge0000121.
- [76] Hiyoshi, K., Becker, C., Oishi, N., & Fukuyama, H. (2017). “A Review of Effects of Death Anxiety on the Human Brain,” *Journal of the Neurological Sciences*, p. 381. DOI: 10.1016/j.jns.2017.08.732.
- [77] Blair, R. J. R. (2008). “The Amygdala and Ventromedial Prefrontal Cortex: Functional Contributions and Dysfunction in Psychopathy,” *Phil. Trans. R. Soc. B.*, 363, pp. 2557–2565. DOI: 10.1098/rstb.2008.0027.
- [78] Koenigs, M. (2014). “The Role of Prefrontal Cortex in Psychopathy,” *Review of Neuroscience*, 23, 3, pp. 253–262. DOI: 10.1515/revneuro-2012-0036.
- [79] Zhong, W., et al., pp. 18–25.
- [80] Agroskin, D., Jonas, E., Klackl, J. & Prentice, M. (2016). “Inhibition Underlies the Effect of High Need for Closure on Cultural Closed-Mindedness under Mortality Salience,” *Frontiers in Psychology*, 7, 1583, pp. 1–16. DOI: 10.3389/fpsyg.2016.01583.
- [81] Keltikangas-Järvinen, L., Kettunen, J., Ravaja, N., & Näätänen, P. (1999). “Inhibited and Disinhibited Temperament and Autonomic Stress Reactivity,” *International Journal of Psychophysiology*, 33, 3, pp. 185–196. DOI: 10.1016/S0167-8760(99)00057-4.
- [82] Kosloff, S., Allen, J. J. B., & Greenberg, J. (2008). “The Psychophysiology of Terror Management: Mortality Salience Decreases Respiratory Sinus Arrhythmia.” Conference paper in: *Forty-eighth annual meeting of the Society for Psychophysiological Research*. Austin, Texas, USA, *Psychophysiology*, 45, 1. DOI: 10.1111/j.1469-8986.2008.00726. x.
- [83] Ibid, 80.
- [84] Ibid, 81.
- [85] Kombo, P. (2017). “Radicalization as a Functional Aspect of Crime,” *Mediterranean Journal of Social Sciences*, pp. 163–170. DOI: 10.1515/mjss-2017-0053.
- [86] Crossett, C. & Spitaletta, J. A. (2010). “Radicalization: Relevant Psychological and Sociological Concepts. U.S. Army Asymmetric Warfare Group,” prepared by *The John Hopkins University, Applied Physics Laboratory*; URL: <https://info.publicintelligence.net/USArmy-RadicalizationConcepts.pdf>.
- [87] Zhang, W., Fagan, S. E. & Gao, Y. (2017). “Respiratory Sinus Arrhythmia Activity Predicts Internalizing and Externalizing Behaviors in Non-Referred Boys,” *Frontiers in Psychology*, 8, 1496, pp. 1-13. DOI: 10.3389/fpsyg.2017.01496.
- [88] Demaree, H. A., & Ewart, E. D. (2004). “Healthy High-Hostiles: Reduced Parasympathetic Activity and Decreased Sympathovagal Flexibility during Negative Emotional Processing,” *Personality and Individual Differences*, 36, 2, pp. 457–469. DOI: 10.1016/S0191-8869(03)00109-0.
- [89] Luo, S., Yu, D. & Han, S. (2017). “5-HTTLPR Moderates the Association between Interdependence and Brain Responses to Mortality Threats,” *Human Brain Mapping* 38, 12, pp. 6157–6171. DOI: 10.1002/hbm.23819.
- [90] Cherepkova, E. V., Maksimov, V. V. & Aftanas, L. I. (2018). “Polymorphism of Serotonin Transporter Gene in Male Subjects with Antisocial Behavior and MMA Fighters,” *Translational Psychiatry*, 8, 248, pp. 1–9. DOI: 10.1038/s41398-018-0298-0.
- [91] Goldman, N., Gleib, D. A., Lin, Y. & Weinstein, M. (2010). “The Serotonin Transporter Polymorphism (5-HTTLPR): Allelic Variation and Links with Depressive Symptoms,” *Depression Anxiety*, 27, 3, pp. 260–269. DOI: 10.1002/da.20660.
- [92] Toshchakova, V. A., Bakhtiari, Y., Kulikov, A. V., Gusev, S. I., Trofimova M. V., Fedorenko O. Y. et al. (2017). “Association of

- Polymorphisms of Serotonin Transporter (5HTTLPR) and 5-HT<sub>2C</sub> Receptor Genes with Criminal Behavior in Russian Criminal Offenders,” *Neuropsychobiology*, 75, pp. 200–210. DOI: 10.1159/000487484.
- [93] Duke, A. A., Bègue, L., Bell, R. & Eisenlohr-Moul, T. (2013). “Revisiting the Serotonin-Aggression Relation in Humans: A Meta-Analysis,” *Psychology Bulletin*, 139, 5, pp. 1148–1172. DOI: 10.1037/a0031544.
- [94] Huang, Z. & Wyer J., R. S. (2015). “Diverging Effects of Mortality Salience on Variety Seeking: The Different Roles of Death Anxiety and Semantic Concept Activation,” *Journal of Experimental Social Psychology*, 58, pp. 112–123. DOI: 10.1016/j.jesp.2015.01.008.
- [95] Bunzeck, N., Doeller, C. F., Dolan, R. J. & Duzel, E. (2012). “Contextual Interaction Between Novelty and Reward Processing Within the Mesolimbic System,” *Human Brain Mapping*, 33, pp. 1309–1324. DOI: 10.1002/hbm.21288.
- [96] Daselaar, S. M., Fleck, M. S. & Cabeza, R. (2006). “Triple Dissociation in the Medial Temporal Lobes: Recollection, Familiarity and Novelty,” *Journal of Neurophysiology*, 96, pp. 1902–1911. DOI: 10.1152/jn.01029.2005.
- [97] Liao, H., Yeh, S. & Shimojo, S. (2011). “Novelty vs. Familiarity Principles in Preference Decisions: Task-Context of Past Experience,” *Frontiers in Psychology*, 2, 43, pp. 1–8. DOI: 10.3389/fpsyg.2011.00043.
- [98] Kim, H. F., Ghazizadeh, A. & Hikosaka, O. (2014). “Separate Groups of Dopamine Neurons Innervate Caudate Head and Tail Encoding Flexible and Stable Value Memories,” *Frontiers in Neuroanatomy*, 8, 120, pp. 1–12. DOI: 10.3389/fnana.2014.00120.
- [99] Moy, S. S., Nadler, J. J., Poe, M. D., Nonneman, R. J., Young, N. B., Koller, B. H. et al. (2008). “Development of a Mouse Test for Repetitive, Restricted Behaviors: Relevance to Autism,” *Behavioral Brain Research*, 188, 1, pp. 178–194. DOI: 10.1016/j.bbr.2007.10.029.
- [100] Ibid. 98.
- [101] Dickson, K. & McMahon, M. (2005). “Will the Law Come Running? The Potential Role of “Brain Fingerprinting” in Crime Investigation and Adjudication in Australia,” *Journal of Law Medicine*, 13, 2, pp. 204–222. PMID: 16304761.
- [102] Holmqvist, K., Nyström, M., Andersson, R., Dewhurst, R., Halszka, J., & van de Weijer, J. *Eye Tracking: A Comprehensive Guide to Methods and Measures*. Oxford: Oxford University Press, 2011. ISBN: 9780199697083.
- [103] Léger, P., Sénécal, S., Courtemanche, F., Oriz de Guinea, A., Titah, R., Fredette, M. et al. (2014). “Precision in the Eye of the Beholder: Application of Eye Fixation-Related Potentials to Information Systems Research,” *Journal of the Association for Information Systems*, 15, 10, pp. 651–703. DOI: 10.17705/1jais.00376.
- [104] Hirschberger, G., Ein-Dor, T., Caspi, A., Arzouan, Y., & Zivotofsky, A. Z. (2010). “Looking Away from Death: Defensive Attention as a Form of Terror Management,” *Journal of Experimental Social Psychology*, 46, pp. 172–178. DOI: 10.1016/j.jesp.2009.10.005.
- [105] Ibid. 79.
- [106] Wendelberg, L., et al., pp. 131–141.
- [107] Marchand, Y., et al., pp. 1715–1722.
- [108] Knyazev, G. G. & Slobodskaya, H. R. (2006). “Personality Types and Behavioural Activation and Inhibition in Adolescents,” *The Journal of Personality and Individual Differences*, 41, pp. 1385–95. DOI: 10.1016/j.paid.2005.11.035.
- [109] Davey, L., Day, A. & Kevin Howells, K. (2005). “Anger, Over-Control and Serious Violent Offending,” *Aggression and Violent Behavior*, 10, pp. 624–35. DOI: 10.1016/j.avb.2004.12.002.
- [110] Klackl, J., et al., pp. 1754–1761
- [111] Goldenberg, J. L., Hart, J., Pyszczynski, T., Warnica, G. M., Landau, M. & Thomas, L. (2006). “Ambivalence Toward the Body: Death, Neuroticism, and the Flight from Physical Sensation,” *Personality and Social Psychology Bulletin*, 32, 9, pp. 1264–1277. DOI: 10.1177/0146167206289505.
- [112] Iverach, L., Menzies, R. G. & Menzies, R. E. (2014). “Death Anxiety and its Role in Psychopathology: Reviewing the Status of a Transdiagnostic Construct,” *Clinical Psychology Review*, 34, pp. 580–593, DOI: 10.1016/j.cpr.2014.09.002.
- [113] Träkner, D., Boulet, A., Peden, E., Focht, R., Van Deren, D. & Capecchi, M. (2019). “A Microglia Sublineage Protects from Sex-Linked Anxiety Symptoms and Obsessive Compulsion,” *Cell Reports*, 29, 4, pp. 1–13, DOI: 10.1016/j.celrep.2019.09.045.
- [114] Levey, D. F., Gelernter, J., Polimanti, R., Zhou, H., Cheng, Z., Aslan, M. et al. (2020). “Reproducible Genetic Risk Loci for Anxiety: Results From 200,000 Participants in the Million Veteran Program,” *American Journal of Psychiatry*, *ajp* in Advance, pp. 1–10. DOI: 10.1176/appi.ajp.2019.19030256.
- [115] Koller, S., Christensen, A. B., Corduan, G., Duits, N., Freund, A. M., Paul, Gill et al. (2019). Issue Paper: Psychological Factors and Mental Health Issues in Tertiary Prevention. *InFoEx Workshop*, Berlin, May 23–24, German Council on Foreign Relations.
- [116] Alison, L., Goodwill, A., Almond, L., van den Heuvel, C. & Winter, J. (2010). “Pragmatic Solutions to Offender Profiling and

Behavioural Investigative Advice,” *Legal and Criminological Psychology*, 15, pp. 115–132. DOI: 10.1348/135532509X463347.

[117] Dzhekova, R., Mancheva, M., Stoyanova, N. & Anagnostou, D. (2017). “Monitoring Radicalization, A Framework for Risk Indicators.” In Shentov, O., Todorov, B. & Stoyanov, A. (Eds.), *Reports Center for the Study of Democracy*. ISBN: 978-954-477-302-1.

[118] Youyou, W., Kosinski, M. & Stillwell, D. (2015). “Computer-Based Personality Judgments are More Accurate Than Those Made by Humans,” *PNAS*, 112, 4, pp. 1036-1040. DOI: 10.1073/pnas.1418680112.

[119] Kanter, J. M. & Veeramachaneni, K. (2015). Deep Feature Synthesis: Towards Automating Data Science Endeavors. *2015 IEEE International Conference on Data Science and Advanced Analytics (DSAA)*, Paris, France, pp. 1–10. DOI: 10.1109/DSAA.2015.7344858.

[120] Nagi, R., Aravinda, K., Rakesh, N., Jain, S., Kaur, N. & Mann, A. K. (2019). “Digitization in Forensic Odontology: A Paradigm shift in Forensic Investigations,” *Journal of Forensic Dental Science* 11, 1, pp. 5–10, DOI: 10.4103/jfo.jfds\_55\_19: 10.4103/jfo.jfds\_55\_19.

[121] Irons, A. (2010). “Digital Forensics and Measurement Science,” *Digital Forensic and Measurement Science*, 43, 8, pp. 238–242. DOI: 10.1177/002029401004300803.

[122] URL: <https://eur-lex.europa.eu/legal-content/EN/TXT/HTML/?uri=CELEX:32016R0679&from=EN#d1e2793-1-1>.

[123] Schmid, A. P. (2013). Radicalisation, De-Radicalisation, Counter-Radicalisation: A Conceptual Discussion and Literature Review. The Hague: *The International Centre for Counter-Terrorism – The Hague (ICCT)*, 4, no. 2, pp. 3–97.

[124] Prithvi Iyer, P. (2020). “The Myth of ‘Pure Evil’: Using Behavioural Science to Help Understand and Counter Terrorism,” *ORF Issue Brief*, 333, pp. 1–16, Observer Research Foundation.