

SPSS Syntax for Two-Way Imputation of Missing Test Data for Separate Scales

Joost R. van Ginkel
Leiden University,
L. Andries van der Ark
Tilburg University

April 6, 2010

1 Files in this zip-file

- `tw-ss2manual.pdf`: this file
- `original.sav`: A simulated data file in SPSS format containing the responses of 300 'respondents' to 41 items, denoted `V1`, ..., `V41`. Variables `V1` to `V40` have ordered answer categories ranging from 0 to 4, variable `V41` is a dichotomous variable with values 1 and 2. There are no missing data. The dataset comes from a simulation study by Van Ginkel, Van der Ark & Sijsma (2007). This file is only included to allow comparing the original data and the completed data.
- `incomplete2.sav`: The SPSS data file (`original.sav`) with 5% of the responses missing. A missing value is indicated by a comma.
- `tw-ss2.sps`: SPSS syntax file. This is a read-only file.
- `run-tw-ss2.sps`: SPSS syntax file. This file may be modified to suit your needs (see Options).

2 About the SPSS Syntax

2.1 The Purpose

File `tw-ss2.sps` is the second version of the file `tw-ss.sps`. The SPSS syntax allows to transform a data file with missing values (an *incomplete* data

file) into a data file without missing values (a *completed* data file). The researcher can use the completed data file for further analysis. It may be noted that using the standard missing data options in SPSS (task bar: **Analyze, Multiple Imputation**) a completed data file can be obtained, where the missing values are replaced by random values from a (logistic) regression model.

The most important difference with the old file `tw-ss.sps` is that this new version has been modified such that the resulting completed data file is compatible with the data format from the standard multiple-imputation procedure in SPSS. The old file `tw-ss.sps` can still be downloaded from the same link as this file.

2.2 The Method

Applying the SPSS syntax will perform a *two-way imputation for separate scales* (TW-SS; Van Ginkel, Van der Ark, & Sijtsma, 2007) of the missing values. Method TW-SS estimates the missing score of respondent i on item j in two steps: Item scores are imputed first using method two-way with normally distributed errors (TW-E; see, Bernaards & Sijtsma, 2000). Method TW-E estimates the missing values as follows: let PM_i be the person mean of across all observed scores of person i , let IM_j be the item mean of all observed scores on item j , let OM be the overall mean, and let e_{ij} be a random variable from a normal distribution with mean 0 and a residual variance. The missing value is estimated as

$$X_{ij} = PM_i + IM_j - OM + e_{ij}.$$

Next, a principal components analysis (PCA) with varimax rotation is applied to the completed dataset. The item scores are imputed again using method TW-E, only now for the separate scales extracted by PCA. The idea of method TW-SS was to extend method TW-E to multidimensional test data by taking into account the factorial structure of the test.

A simulation study (Van Ginkel, Van der Ark & Sijtsma, 2007) shows that method TW-SS works better for multidimensional test data than method TW-E. Another advantage is that unlike method TW-E, method TW-SS automatically corrects imputed scores for contra-indicatively worded items. Thus, no items have to be recoded. Biographic variables such as *gender*, and *socio-economic status* are usually not part of a test or questionnaire and we advocate not to complete missing values of such variables using method TW-SS.

It may be noted that in the investigation of method TW-SS it was assumed that all items had the same number of ordered answer categories.

2.3 Disclaimer and Bugs

It should be emphasized that this SPSS syntax is distributed without any warranty on the part of the authors. Although the SPSS syntax has been tested thoroughly, one can never fully exclude the possibility of errors. The authors appreciate suggestions and reports of detected errors (please enclose SPSS data file). All correspondence can be sent to

Joost R. van Ginkel,
Leiden University,
Faculty of Social and Behavioural Sciences,
PO Box 9555,
2300 RB Leiden,
The Netherlands
`jginkel@fsw.leidenuniv.nl`

2.4 Known Bugs

1. Procedure `tw-ss2.sps` cannot handle variables that are coded as strings, even if they are not included in the analysis. This means that, for example, the categories of variable Gender should be coded numerically (e.g., *1* and *2*) and should not be coded *male* and *female*. **Detected:** October 14 2003.
2. Procedure `tw-ss2.sps` cannot be applied to a (sub)set of item scores if one or more respondents have missing values on all item scores in the (sub)set. Cases with all item scores missing should be removed manually. SPSS-command `select cases` does not work here. **Detected:** October 14 2003.
3. For variables with names longer than 8 characters, only the first 8 characters are preserved in the new file, and variable properties (e.g. value labels, formats) are lost. This can be remedied by temporarily renaming these variables, and renaming them back afterwards. **Detected:** March 13 2006.

3 Using the SPSS Syntax

3.1 Preparing Your SPSS Data File

- Remove respondents with many (e.g., 60%) missing values
There are no general rules available to decide how many missing values a respondent may have before he or she is deleted from the analysis. The idea is that respondents with many missing values provide little useful information.
- Missing values should be defined as `system missing` or `user missing` in SPSS.
In the incomplete data file `incomplete2.sav` all missing values are system missing. The SPSS command `recode` can be used to recode numerical values into system missing.
- Rename variables with names longer than 8 characters, and recode string variables.
As already noted, procedure `tw-ss2.sps` has trouble handling string variables and variable names longer than 8 characters. Therefore, string variables must be recoded, and variable names longer than 8 characters must be renamed using the syntax command `rename variables`.
- Determine the items you want to use for imputation.

3.2 Imputation of Missing Data

From now on we assume that `incomplete2.sav` is the incomplete data file and we assume that its variables (`V1`, ..., `V41`) measure different constructs.

1. Copy the SPSS syntax files `tw-ss2.sps` and `runtw-ss2.sps` to the desired directory.
2. Open SPSS
3. Open the SPSS syntax file `runtw-ss2.sps` (task bar: `File`, `Open`, `Syntax`). The SPSS syntax file `runtw-ss2.sps` looks like

```
INCLUDE "{path}tw-ss2.sps" .  
TWOWAYSS FILE = '{path + filename}' .
```

4. Specify the paths of the files `tw-ss2.sps` and `incomplete2.sav`. For example, if `tw-ss2.sps` is located in

C:\Program Files\SPSS\tw-ss2.sps

and the incomplete data file `incomplete2.sav` is located in

C:\mydatasets\incomplete2.sav

this should be specified as

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .  
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav' .
```

5. Run `run-tw-ss2.sps` (task bar: run, all).
6. The completed data file is now in your directory. The name of the completed data file is `incomplete2_imp.sav`. This file includes both the original incomplete data and its completed version. The complete version is appended after the original data in the new file, and the newly created indicator variable `imputation_` indicates whether a record belongs to the original data (0) or to the completed data (1).
Note that if you rerun the SPSS syntax `incomplete2_imp.sav` will be overwritten. Also note that if your incomplete data file has another name (e.g., `mydata.sav`) then the second syntax line in Step 4 should be changed into

```
TWOWAYSS FILE = 'C:\mydatasets\mydata.sav' .
```

The resulting completed data file will be `mydata_imp.sav`.

3.3 Options

- **Applying imputation to different item subsets.**

This option is recommended when some variables are not part of the test or questionnaire

For example if variables `V1, ..., V40` measure different aspects of schizotypal personality disorder, and `V41` represents gender.

Missing values on `V1, ..., V40` can be completed by modifying `run-tw-ss2.sps` into

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .  
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav'  
/SELECT = V1 TO V40 .
```

Missing values on V41 cannot be completed using method TW-SS.

Note that the period '.' that was originally placed at the end of the second line (TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav'), has now been moved to the end of the last line. Changing the file `run-tw-ss2.sps` into

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .  
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav' .  
/SELECT = V1 TO V40 .
```

will ignore the `/SELECT = V1 TO V40` subcommand and SPSS will generate an error message.

- **Number of components extracted by PCA.**

By default, all components with eigenvalues greater than 1 are extracted by PCA. The user can also specify the desired number of components. For example, if the user expects four different dimensions in the data, this may be specified as

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .  
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav'  
/NCOMP = 4 .
```

- **Screeplot.**

When a researcher has no prior knowledge about the number of underlying components in the data, it is common in PCA to inspect the screeplot first. Procedure `tw-ss2.sps` can provide the screeplot of the factor solution that is used for imputation. This can be achieved by means of

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .  
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav'  
/SCREE = YES .
```

After inspecting the screeplot, the user can rerun the imputation procedure with the desired number of components.

- **Minimum and maximum scores.**

These options are not recommended

SPSS reads the minimum and maximum item score from the incomplete data file. The user can also specify the minimum and maximum item scores. For example, if the required item score range is 1, 2, 3 this may be specified as

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav'
    /MAX = 3
    /MIN = 1 .
```

- **Multiple imputation.**

A more sophisticated way of dealing with missing values is called multiple imputation, which creates m (usually $m = 5$) completed datasets that are analyzed using standard statistical methods. Then, the m results are combined into one overall result. Changing the syntax file `run-tw-ss2.sps` into

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav'
    /m = 5 .
```

will append five different complete versions of the incomplete dataset after another in the new file `incomplete2_imp.sav`. The indicator variable `imputation_` contains the dataset number. The interested reader is referred to Schafer (1997).

- **Using several options at a time.**

One may want to use more options at a time. For example, apply `tw-ss2.sps` to variables `V1`, ..., `V40` with four components, and do this $m = 5$ times.

```
INCLUDE "C:\Program Files\SPSS\tw-ss2.sps" .
TWOWAYSS FILE = 'C:\mydatasets\incomplete2.sav'
    /SELECT = V1 TO V40
    /NCOMP = 4
    /m = 5 .
```

References

- Bernaards, C. A., & Sijtsma, K. (2000). Influence of imputation and EM methods on factor analysis when item nonresponse in questionnaire data is nonignorable. *Multivariate Behavioral Research*, 35, 321-364.
- Schafer, J. L. (1997). *Analysis of incomplete multivariate data*. London: Chapman & Hall.

Van Ginkel, J. R., Van der Ark, L. A., & Sijsma, K. (2007). Multiple imputation for item scores when test data are factorially complex. *British Journal of Mathematical and Statistical Psychology*, 60, 315-337.